



FEEL THE SW DIFFERENCE®

# COMFORT AND DEXTERITY FOR EVERYDAY HAND PROTECTION.



TF-12LG

POWDER-FREE NITRILE EXTENDED-CUFF EXAMINATION GLOVES WITH SUSTAINABLE ECOTEK TECHNOLOGY


**TACTILE SENSITIVITY AND GRIP WITH AN EXTENDED CUFF FOR ADDED PROTECTION TO WORK IN COMFORT AND CONFIDENCE**

- EcoTek® Sustainable Technology\*
- Exceeds 1.5 AQL laboratory standards
- Extended-cuff for additional protection
- Tear-resistant beaded cuff eases donning
- SHA Dermatologically Approved

Optimal thickness for durability and tactile sensitivity

Extended cuff provides added protection

Tear-resistant beaded cuff for easy donning



TF		TF-12LG				EcoTek
WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR		
7.5g (large size)	12.0"	5.9 mil 4.9 mil	EcoTek® Clean Washed Air Inspected	LIGHT GREEN		



Feel the difference.™

SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347 | Website: swsglobal.com  
Trademarks and registered trademarks are the property of SW and its affiliates.  
©2026 SW. All rights reserved.



WOMEN OWNED



# TECHNICAL DATA




## TF-12LG

POWDER-FREE NITRILE EXTENDED-CUFF EXAMINATION GLOVES WITH SUSTAINABLE ECOTEK TECHNOLOGY

### POLYCARBIN

THIS GLOVE IS RECYCLABLE THROUGH POLYCARBIN'S LAB RECYCLING PROGRAM.



## PRODUCT DESCRIPTION

### SPECIFICATIONS

PRODUCT	TrueForm®
GRADE	Powder-Free Exam
MATERIAL	Nitrile
THICKNESS FINGER	5.9mil 0.15mm
PALM	4.9mil 0.12mm
CUFF	3.6mil 0.09mm
COLOR	Light Green
SURFACE	Fully Textured
LENGTH	12" 305mm
WEIGHT	7.5g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	China/Malaysia

### PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	21 MPA	19 MPA
ELONGATION:	580%	550%

### INTEGRATED TECHNOLOGIES

**ECOTEK Sustainable Technology:** Product has been tested by an independent laboratory\*

100% Air Inspected


Clean Washed

Specifications based on size Large glove

## STANDARDS & CERTIFICATIONS

EN ISO 21420:2020  
EN 455-2000-2015  
ASTM D6319-19  
ASTM D6978-05 (2019)  
ASTM F1671-13  
ASTM F739-12  
Reach EU 1907/2006

EU 2016/425  
CAT III Complex Design  
FDA 21 CFR 177.2600



Please visit [swssglobal.com/symbols](http://swssglobal.com/symbols) for information on standards used on this document.

## TECHNOLOGY PATENTS

US 12,201,172 B2

Multiple U.S. and other patents pending

## ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N027401	XS 5½ – 6	3.1" 78mm	100 gloves per box 10 boxes per case
N027402	S 6½ – 7	3.4" 87mm	100 gloves per box 10 boxes per case
N027403	M 7½ – 8	3.9" 98mm	100 gloves per box 10 boxes per case
N027404	L 8½ – 9	4.2" 108mm	100 gloves per box 10 boxes per case
N027405	XL 9½ – 10	4.5" 114mm	100 gloves per box 10 boxes per case
N027406	2XL 10½ – 11	4.7" 120mm	90 gloves per box 10 boxes per case

\* EcoTek gloves are tested in an independent laboratory for their Anaerobic Biodegradation potential Under Accelerated Landfill Conditions. Results show 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the testing, contact [cs@swssglobal.com](mailto:cs@swssglobal.com).

## APPLICATIONS

- For Medical Use
- Chemical Handling
- Clinical
- Handling and Packaging Class 1 Medical Devices
- Laboratory
- Light Chemical Mixing
- Pharma Production

Keep out of sunlight. Store in a cool, dry place. Keep away from sources of ozone or ignition.



R\_N02740X0126



SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347 | Website: [swssglobal.com](http://swssglobal.com)  
Trademarks and registered trademarks are the property of SW and its affiliates.  
©2026 SW. All rights reserved.



This product does not contain substances of very high concern (SVHCs), restricted substances, carcinogenic, mutagenic, or reprotoxic (CMR) substances, endocrine disruptors, tissues or cells of human or animal origin, or intentionally added nanomaterials. This information is provided for biocompatibility review and reporting purposes.