



NU15-RD-ECO-GR

ISO 374-1:2016/TYPE A EN388:2016

EN374-5:2016



AJKLMNOPST



3101X



ABRASION



PUNCTURE

# NEWTRILE®

## HANDLE THE HOSTILE

EcoTek®  
Sustainable Technology



### Protection for the Most Demanding Environments

The industry's first reusable chemical protection gloves with EcoTek® Sustainable Technology. Advanced chemical protection now has a smaller carbon footprint.



# NEWTRILE

Nitrile Chemical Protection and Performance

featuring  
**EcoTek®**

## NU15-RD-ECO-GR

15 MIL UNLINED NITRILE CHEMICAL RESISTANT GLOVES



**Unlined, hand specific, nitrile rubber chemical resistance gloves, case hardened for enhanced performance**


- 15 mil thick and 13 inch cuff length for added protection
- EcoTek® Sustainable Technology: Product has been tested by an independent laboratory\*
- Embossed raised-diamond surface for wet/dry grip
- Case hardened for enhanced physical and chemical performance while providing easier and more comfortable donning and doffing

### Ideal Applications:

- Boat Manufacturing
- Chemical
- Food
- Housekeeping
- Janitorial
- Machinery & Equipment
- Transportation

SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.  
©2026 SW. All rights reserved.



Raised diamond grip pattern

Smooth unlined inner surface for easy donning

13 inch cuff for added coverage and protection

This product does not contain substances of very high concern (SVHCs), restricted substances, carcinogenic, mutagenic, or reprotoxic (CMR) substances, endocrine disruptors, tissues or cells of human or animal origin, or intentionally added nanomaterials. This information is provided for biocompatibility review and reporting purposes.

\* EcoTek gloves are tested in an independent laboratory for their Anaerobic Biodegradation potential Under Accelerated Landfill Conditions. Results show 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the testing, contact [cs@swssglobal.com](mailto:cs@swssglobal.com).

### PRODUCT ATTRIBUTES

SPECIFICATIONS	NU15-RD-ECO-GR
PRODUCT TYPE:	Chemical-Resistant
PUNCTURE LEVEL:	ANSI 2 — EN388 1
ABRASION LEVEL:	ANSI 6 — EN388 3
LINER MATERIAL:	Unlined
MATERIAL:	Nitrile with EcoTek®
COLOR:	Green
GRIP FINISH:	Raised Diamond
CONSTRUCTION:	Unsupported
FIT TYPE:	Hand Specific
CUFF STYLE:	Straight
THICKNESS:	15 mil
LENGTH:	13"
ORIGIN COUNTRY:	Sri Lanka

### STANDARDS & CERTIFICATIONS

**FDA 21 CFR 177.2600**  
COMPONENT MATERIALS  
COMPLY WITH FDA REGULATIONS  
FOR FOOD CONTACT

Please visit [swssglobal.com/symbols](http://swssglobal.com/symbols) for information on standards used in this document.



### NU15-RD-ECO-GR ORDERING INFORMATION

N505092	S: 7
N505093	M: 8
N505094	L: 9
N505095	XL: 10
N505096	2XL: 11

12 Pairs per Bag, 12 Bags per Case

For samples visit  
[swssglobal.com/newtrile](http://swssglobal.com/newtrile)